

URGENT[®] PC

Neuromodulation System



Simple, office-based neuromodulation

Indicated for:

- Urinary urgency
- Urinary frequency
- Urge incontinence

Patient response up to 80%¹⁻⁷


 **Uroplasty**
Solutions for Voiding Dysfunctions

URGENT[®] PC

Neuromodulation System

The Urgent[®] PC Neuromodulation System provides percutaneous tibial nerve stimulation (PTNS) for the treatment of urinary urgency, urinary frequency and urge incontinence.

Clinical trials and published studies have shown PTNS to be clinically effective, with subjective clinical success rates of up to 80%⁵ and statistically significant reductions in daytime voiding frequency, nighttime voiding frequency and leakage episodes.⁴



- Minimally-invasive treatment uses a very fine needle positioned in the ankle near the tibial nerve. When the Urgent PC stimulator is activated, impulses travel through neural pathways to the sacral plexus.
- Initial protocol of 12 weekly 30-minute sessions with maintenance therapy tailored to patient needs.
- Potential alternative for patients refractory to drug treatments or who may not be good candidates for more invasive procedures.




Uroplasty

Uroplasty, Inc., 5420 Fell Road, Minnetonka, MN 55343
Main: 952 426 6140 (tel), 952 426 6199 (fax), e-mail: info.usa@uroplasty.com

www.uroplasty.com

CONTRAINDICATIONS: Treatment with Urgent PC is contraindicated for patients with pacemakers or implantable defibrillators, patients prone to excessive bleeding, patients with nerve damage that could impact either percutaneous tibial nerve or pelvic floor function, or patients who are pregnant or planning to become pregnant during the duration of the treatment. **PRECAUTIONS:** Exercise caution for patients with heart problems related to pacing. Most common side-effects include transient mild pain or skin inflammation at or near the implantation site. **CAUTION:** Federal law (USA) restricts this device to sale by or on the order of a physician. For complete instructions for use, storage, warnings, indications, contraindications, precautions, adverse reactions and disclaimer of warranties, please refer to the insert accompanying each Urgent PC product.

Urgent and Uroplasty are registered trademarks of their respective owners.



1. van Balken MR et al. Posterior tibial nerve stimulation as neuromodulative treatment of lower urinary tract dysfunction. *J Urol* 166: 914 - 8, 2001.
2. Vandoninck V et al. Percutaneous tibial nerve stimulation in the treatment of overactive bladder: urodynamic data. *Neurourol Urodyn* 22: 227 - 32, 2003.
3. Klingler HC et al. Use of peripheral neuromodulation of the S3 region for treatment of detrusor overactivity: a urodynamic-based study. *Urol* 56: 766 - 71, 2000.
4. Govier FE et al. Percutaneous afferent neuromodulation for the refractory overactive bladder: results of a multicenter study. *J Urol* 165: 1193 - 8, 2001.
5. Stoller M. Afferent nerve stimulation for pelvic floor dysfunction. *Eur Urol* 35(suppl 2): 16, 1999.
6. Ruiz BC et al. Peripheral afferent nerve stimulation for treatment of lower urinary tract irritative symptoms. *Eur Urol* 45: 65 - 9, 2004.
7. Vandoninck V et al. Posterior tibial nerve stimulation in the treatment of urge incontinence. *Neurourol Urodyn* 22: 17 - 23, 2003.



© 2006 Uroplasty. All rights reserved.

0520044D 04/08